Application/Control Number: 10/693,764 Page 2

Art Unit: 3752

DETAILED ACTION

1. The reply filed on January 26, 2009 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): the listing of amended claims fails to comply with 37 CFR 1.121(c)(2) because claim 7 does not accurately reflect the changes made to the claim. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE** (1) **MONTH or THIRTY** (30) **DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher S. Kim whose telephone number is (571) 272-4905. The examiner can normally be reached on Monday - Friday, 8:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Len Tran can be reached on (571) 272-1184. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/693,764 Page 3

Art Unit: 3752

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Christopher S. Kim/ Primary Examiner, Art Unit 3752

CK